Republic of the Philippines

Province of Davao del Norte

BIDS AND AWARDS COMMITTEE

Government Center, Mankilam, Tagum City



REQUEST FOR QUOTATION

[Shopping B (Regular Purchase)]

Control No.:



PR Number

Quotation No.: C20253149

2025053366

Old RFQ No.: B20252867

Date: Jul 15, 2025

R0

Page: Page 1 of 3

The Provincial Government of Davao del Norte intends to procure the hereunder item/s in accordance with the pertinent provisions of the Republic Act 9184 and its Implementing Rules and Regulations.

Please quote your best offer for the item described herein, subject to the Terms and Conditions provided at the last page of this RFQ. Should the Bids and Awards Committee find your price lowest and responsive; you will be officially notified through issuance of a Notice of Award (NOA) and a Purchase Order (PO). The Provincial Government of Davao del Norte reserves the right to accept or reject any bid, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance to Section 35.6 and Section 41 of the 2016 Revised IRR of RA 9184.

	I.N.	<u> </u>	lance to Section 35.6 and Section 41 of the 2016 Revised IRR of RA	Quotation		
"3.0 HP - Wall mounted Split type inverter W/ Magnetic switch Installation and bracket . Piping lay-out is 35 ft. Specs as follows. Cooling capacity - 10,900-27,300 Type of blower - Low, Medium, High Electrical supply Voltage - 230V Phase - Single phase Frequency - 60 Hz Type of compressor - Scroll type Refrigerant - R 4109, R - 32 Accu fan motor - Staffey and Low pressure control Safety control - High and Low pressure control 1 unit 3 tons. 4.0hp Floor mounted Split type inverter with Magnetic switch-installation and bracket w/ piping lay out of 45ft. Specs as follows: Cooling capacity '36,000 Type of Control - Digital control panel, built in timer with operational wireless remote 1 unit 3 tons. 4.0hp Floor mounted Split type inverter with Magnetic switch-installation and bracket w/ piping lay out of 45ft. Specs as follows: Cooling capacity '36,000 Type of blower Electrical Supply Voltage - 230v Phase - Single phase Frequency - 60 hz Type of Control - Digital control panel, built in timer with operational wireless remote. Type of compressor *scroll type Type of refrigerant - R-410a / R-32 Accu fan motor 'Totally enclosed Safety control 'High and low	1.14.	. Quantity/Unit Item		Brand	Unit Price	Total Amount
Cooling capacity - 10,900-27,300 Type of blower - Low, Medium, High Electrical supply Voltage - 230V Phase - Single phase Frequency - 60 Hz Type of control Digital Control panel, built-in Timer w/ Operational wireless remote Air filter - Washable Type of compressor - Scroll type Refrigerant - R 4109, R - 32 Accu fan motor - Totally enclosed Service values - Suction value Safety control - High and Low pressure control 1.00 UNIT Air conditioning unit WINDOW TYPE INVERTER 1 HP 3 1.00 UNIT Air conditioning unit VINDOW TYPE INVERTER 1 HP 3 1.00 UNIT Air conditioning unit Unit 3 tons, 4.0hp Floor mounted Split type inverter with Magnetic switch-installation and bracket w/ piping lay out of 45ft. Specs as follows: Cooling capacity *36,000 Type of blower *Low, Med, High Electrical Supply Voltage -230V Phase - Single phase Frequency -60 hz Type of Control - Digital control panel, built in timer with operational wireless remote. Type of compressor *scroll type Type of refrigerant *R-410a / R-32 Accu fan motor *Totally enclosed Safety control *High and low	1	1.00 UNIT	"3.0 HP - Wall mounted Split type inverter W/ Magnetic switch Installation and bracket . Piping lay-out is 35 ft.			
Type of control Digital Control panel, built-in Timer w/ Operational wireless remote Air filter - Washable Type of compressor - Scroll type Refrigerant - R 4109, R - 32 Accu fan motor - Totally enclosed Service values - Suction value Safety control - High and Low pressure control 2 1.00 UNIT Air conditioning unit WINDOW TYPE INVERTER 1 HP 3 1.00 UNIT Air conditioning unit 1 unit 3 tons. 4.0hp Floor mounted Split type inverter with Magnetic switch-installation and bracket w/ piping lay out of 45ft. Specs as follows: Cooling capacity *36,000 Type of blower * Low, Med, High Electrical Supply Voltage - 230v Phase - Single phase Frequency -60 hz Type of Control - Digital control panel, built in timer with operational wireless remote. Type of compressor *scroll type Type of refrigerant *R-410a / R-32 Accu fan motor *Totally enclosed Safety control *High and low			Cooling capacity - 10,900-27,300 Type of blower - Low, Medium, High Electrical supply Voltage - 230V Phase - Single phase			
Service values Safety control - High and Low pressure control 2 1.00 UNIT Air conditioning unit WINDOW TYPE INVERTER 1 HP 3 1.00 UNIT Air conditioning unit 1 unit 3 tons. 4.0hp Floor mounted Split type inverter with Magnetic switch-installation and bracket w/ piping lay out of 45ft. Specs as follows: Cooling capacity *36,000 Type of blower *Low, Med, High Electrical Supply Voltage -230v Phase -Single phase Frequency -60 hz Type of Control -Digital control panel, built in timer with operational wireless remote. Type of compressor *scroll type Type of refrigerant *R-410a / R-32 Accu fan motor Safety control *High and low *High and low			Type of control Digital Control panel, built-in Timer w/ Operational wireless remote Air filter - Washable Type of compressor - Scroll type Refrigerant - R 4109, R - 32			
WINDOW TYPE INVERTER 1 HP 3 1.00 UNIT Air conditioning unit 1 unit 3 tons. 4.0hp Floor mounted Split type inverter with Magnetic switch-installation and bracket w/ piping lay out of 45ft. Specs as follows: Cooling capacity *36,000 Type of blower * Low, Med, High Electrical Supply Voltage -230v Phase -Single phase Frequency -60 hz Type of Control -Digital control panel, built in timer with operational wireless remote. Type of compressor *scroll type Type of refrigerant *R-410a / R-32 Accu fan motor *Totally enclosed Safety control *High and low			Service values - Suction value Safety control - High and Low pressure	1		
1 unit 3 tons. 4.0hp Floor mounted Split type inverter with Magnetic switch-installation and bracket w/ piping lay out of 45ft. Specs as follows: Cooling capacity *36,000 Type of blower * Low, Med, High Electrical Supply Voltage -230v Phase -Single phase Frequency -60 hz Type of Control -Digital control panel, built in timer with operational wireless remote. Type of compressor *scroll type Type of refrigerant *R-410a / R-32 Accu fan motor *Totally enclosed Safety control *High and low	2	1.00 UNIT	_			
Cooling capacity *36,000 Type of blower * Low, Med, High Electrical Supply Voltage -230v Phase -Single phase Frequency -60 hz Type of Control -Digital control panel, built in timer with operational wireless remote. Type of compressor *scroll type Type of refrigerant *R-410a / R-32 Accu fan motor *Totally enclosed Safety control *High and low	3	1.00 UNIT	1 unit 3 tons. 4.0hp Floor mounted Split type inverter with Magnetic switch-installation and			
timer with operational wireless remote. Type of compressor *scroll type Type of refrigerant *R-410a / R-32 Accu fan motor *Totally enclosed Safety control *High and low			Cooling capacity *36,000 Type of blower * Low, Med, High Electrical Supply Voltage -230v Phase -Single phase			
Type of refrigerant *R-410a / R-32 Accu fan motor *Totally enclosed Safety control *High and low						
			Type of refrigerant *R-410a / R-32 Accu fan motor *Totally enclosed Safety control *High and low			

NAME OF ESTABLISHMENT

MA. EMELENE P. COQUILLA Wednesday, July 16, 2025

^{**} All signatures of this document are system generated. ***
 ** The original of this document is in digital format. ***

Republic of the Philippines

Province of Davao del Norte

BIDS AND AWARDS COMMITTEE

Government Center, Mankilam, Tagum City



REQUEST FOR QUOTATION

[Shopping B (Regular Purchase)]

Control No. :



PR Number

Quotation No.: C20253149

2025053366

Old RFQ No. : **B20252867**

1025053366

Date: Jul 15, 2025

R0

Page: Page 2 of 3

4 1.00 UNIT

Air conditioning unit

2.5 HP. - Wall mounted Split type Non inverter defective compressor motor grounded. Compressor motor for replacement. w/ PN 0004-0556-0001

* AC MODEL: KPC-24HH5B

* Compressor model: HIGHLY-SHY73MC4-U

LRA.56

1 PC Capacitor 45 uf 450 vac

1 PC Magnetic contactor 2p-30 ampers 230v

1 PC Tank refrigerant R22-13.6 KG

5 1.00 UNIT

Air conditioning unit

1 unit 1.5 HP WALL MOUNTED Split type inverter with Magnetic switch-installation and bracket w/ piping lay out of 15ft.

Specs as follows:

Cooling capacity

*12,000

Type of blower

* Low, Med, High

Electrical Supply

Voltage -230v

Phase -Single phase

Frequency -60 hz

Type of Control -Digital control panel, built in timer with operational wireless remote.

Type of compressor

*scroll type

Type of refrigerant

*R-32

Accu fan motor Service valves Safety control *Totally enclosed *Suction valves *High and low

pressure control.

Grand/Lot Total:

Green Procurement Terms and Conditions

AIR CONDITIONERS

- 1. The suppliers shall supply air conditioners which fulfills at least ENERGY STAR 4.0.
- 2. The suppliers shall ensure that the products are repairable and that replacement parts are available (for minimum of 10 years after end of production)
- 3. The suppliers shall supply the products in recyclable packages and shall provide a packaging take-back service.

AIRCONDITIONING UNITS FOR VARIOUS OFFICES WITHIN GOVERNMENT CENTER. PADO-PA,PLO,PEEDO,PPDO, Provincial General Services Office

APPROVED BUDGET FOR THE CONTRACT (ABC) : \$\overline{P336,800.00}\$

OPENING DATE AND TIME OF BIDDING: July 21, 2025 9:00 am

Place of Delivery : PGSO Warehouse

Delivery Term: 15 Working Days

General Terms & Conditions :

1. Bidders shall provide correct and accurate information required in this form and shall quote for all the items, considering that this **procurement is for lot awarding, otherwise, the RQF will be rejected**.

NAME OF ESTABLISHMENT

MA. EMELENE P. COQUILLA Wednesday, July 16, 2025

^{**} All signatures of this document are system generated. ***
** The original of this document is in digital format. ***

Republic of the Philippines

Province of Davao del Norte

BIDS AND AWARDS COMMITTEE

Government Center, Mankilam, Tagum City



REQUEST FOR QUOTATION

[Shopping B (Regular Purchase)]

Control No.:



PR Number

Quotation No.: C20253149

2025053366 Old RFQ No. : B20252867

Date: Jul 15, 2025

Page: Page 3 of 3

- 2. Price quotation/s must be valid for a period of ninety (90) calendar days from the date of submission. In case the Provincial Government of Davao del Norte will officially notify that the items will be procured from the determined bidder, the stocks shall be readily available off-the-shelf.
- 3. Bidders shall specify/indicate the brand names in the RFQ and the country of origin.
- 4. Award of contract shall be made to the lowest quotation (for goods and infrastructure) or, the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
- 5. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- 6. The item/s shall be delivered according to the requirements specified in the Technical Specifications.
- 7. The Provincial Government of Davao del Norte shall have the right to inspect and/or to test the goods to confirm their conformity to the technical specifications.
- 8. In case two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, the Provincial Government of Davao del Norte shall adopt and employ "tosscoin" as the tie-breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.
- 9. Payment shall be made after delivery and upon the submission of the required supporting documents, i.e, order slip and/or billing statement, by the contractor.
- 10. The following documentary requirements shall be submitted together with the Request for Quotation Form as requisite for award:
 - a. For Shopping:
 - 1.) Mayor's/Business Permit
 - 2.) PhilGEPS Registration Number

VERY TRULY YOURS,

RALPH P. DELA CRUZ , LT. COL BAC CHAIRPERSON

I hereby certify and affirm to the foregoing quotation, terms and conditions:

NAME OF ESTABLISHMENT		SIGNATURE OVER PRINTED NAME
ADDRESS		
Please check V.A.T. whether VAT or Non - V.A.T.	PhilGEPS Registration No.:	DESIGNATION
Non-VAT Non - V.A.1. T.I.N.		CONTACT NUMBER
		EMAIL ADDRESS