Province of Davao del Norte

BIDS AND AWARDS COMMITTEE

Government Center, Mankilam, Tagum City



REQUEST FOR QUOTATION

[Shopping B (Regular Purchase)]

Control No.:



PR Number

Quotation No.: C20253384

2025074468 Old

Old RFQ No.: **B20253383**

R0

Date: Jul 25, 2025

Page : **Page 1 of 7**

The Provincial Government of Davao del Norte intends to procure the hereunder item/s in accordance with the pertinent provisions of the Republic Act 9184 and its Implementing Rules and Regulations.

Please quote your best offer for the item described herein, subject to the Terms and Conditions provided at the last page of this RFQ. Should the Bids and Awards Committee find your price lowest and responsive; you will be officially notified through issuance of a Notice of Award (NOA) and a Purchase Order (PO). The Provincial Government of Davao del Norte reserves the right to accept or reject any bid, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance to Section 35.6 and Section 41 of the 2016 Revised IRR of RA 9184.

I.N. G	Quantity/Unit	Item	Quotation		
			Brand	Unit Price	Total Amount

1.00 SET CCTV

1 LOT - 12 units-4MP ColorVu Fixed Bullet Network Camera

Hikvision 4MP Colorvu technology provides 24/7 vivid colorful images with F1.0 advanced lenses and high performance sensors. F1.0 super-aperture collects more light to produce brighter images. Advanced sensor technology can vastly improve the utilization of available light. High quality imaging with 4MP resolution, 24/7 colorful imaging. Support Human and Vehicle Detection. Water and Dust resistant (IP67). Clear imaging even with strong back lighting due to 120 dB WDR Efficient H.256+ compression technology Support on-board storage up to 256GB (SD card slot) (optional). Built-in microphone for real-time audio security(optional)

10 units- 2MP-4MP Colorvu Fixed Turret
Network Camera
High quality imaging with 2MP resolution
Efficient H.256+ compression technology Clear
imaging against strong back light due to 120 dB
WDR technology
Focusing on human and vehicle classification
based on deep learning
Built-in microphone for real-time audio
security(-U)
24/7 colorful imaging
Water and dust resistant (IP67)

1 unit - 4-inch 2MP 25x Powered by DarkFighter IR Network Speed Dome Accurate human and vechile target classification and alarm based on deep learning algorithm Support face capture. Up to 5 faces captured at the same time 1/2.8" Progressive Scan CMOS Up to 1920 x 1080@30fps resolution Min. illumination: Color: 0.005Lux @ (F1.6, AGC ON), B/W: 0.001Lux @ (F1.6, AGC ON),0 Lux with IR 25x optical zoom, 16x digital zoom WDR, HLC,BLC, 3D DNR, Defog,

1 unit - 32-ch 1.5U K Series AcuSense 4k NVR Up to 32-ch IP camera inputs

NAME OF ESTABLISHMENT

** The original of this document is in digital format. ***

ALEJANDRO R. OMILA JR. Friday, July 25, 2025

^{**} All signatures of this document are system generated. ***

Province of Davao del Norte

BIDS AND AWARDS COMMITTEE

Government Center, Mankilam, Tagum City

PASIMS

REQUEST FOR QUOTATION

[Shopping B (Regular Purchase)]

Control No. :



PR Number

R0

Quotation No.: C20253384

2025074468 Old RFQ No.: B20253383

Date : **Jul 25, 2025** Page : **Page 2 of 7**

H.265+/H65/H.264 video formats
Up to 2-ch@ 12 MP or 3-ch@ 8 MP or 6-ch@ 4
MP or 12-ch@ 1080p decoding capacity
Up to 256 Mbps incoming bandwidth
Adopt Hik-vision Acusense technology to
minimize manual effort and security costs

1 unit - 16 Port Gigabit Smart POE Switch
16 x gigabit PoE RJ45 ports, 1 x gigabit RJ45
port, 1 x gigabit fiber optical port
Total PoE power budget 130 W
Unified cloud management for security systems
Network topology at your fingertips
Remote troubleshooting
Visualized topology management
Up to 300 m long-range PoE transmission
6 kV surge protection

3 units - 8 Port Gigabit Unmanaged POE Switch 8 x Gigabit PoE ports, 1 x Gigabit RJ45 port, 1 x Gigabit SFP Fiber Optical IEEE 802.3at/af standard IEEE 802.3at/af standard IEEE 802.3a, IEEE 802.3z, IEEE 802.3z standard 6 KV surge protection for PoE ports PoE power management Gigabit Network access Wire-speed forwarding and non-blocking design Store-and-forward switching Solid high-strength metal shell Reliable fan-free design

2 units - 8TB HARDISK Seagate Skyhawk 8TB Surveillance Hard Drive -SATA 6Gb/s 256MB Cache 3.5-Inch Internal Drive Custom-built for surveillance applications with ImagePerfect firmware for crisp, clear, 24x7 video workloads Maximum 180TB/year workload rating-3x the workload rating of desktop drives for reliable performance in write-intensive surveillance systems Rotational vibration (RV) sensors help maintain performace on RAID and multi-drive systems (4TB or higher) Up to 10TB of capacity to store up to 10,000 hours of HD video. High reliability with 550TB/yr workload rate

3 units - 32" TV MONITOR 4 units - UPS 1000VA 230V WITH AVR 1 unit - 12U DATA CABINET

ROUGHING-INS & CONSUMABLES MATERIALS FIBER OPTIC CABLES & ACCESSORIES

NAME OF ESTABLISHMENT

ALEJANDRO R. OMILA JR. Friday, July 25, 2025

^{**} All signatures of this document are system generated. ***
 ** The original of this document is in digital format. ***

Province of Davao del Norte

BIDS AND AWARDS COMMITTEE

Government Center, Mankilam, Tagum City

PASIMS I

REQUEST FOR QUOTATION

[Shopping B (Regular Purchase)]

Control No.:



PR Number

Quotation No.: C20253384

2025074468 Old RFQ No.: B20253383

R0 Date: Jul 25, 2025 Page: Page 3 of 7

CAT6 CABLE 305M/BOX - INDOOR SUITABLE IN LONG DISTANCE POWER OVER INTERNET TRANSMISSION ALUMINUM ALLOY JUNCTION WHITE BOX IP67 WATER PROOF WITH RUBBER AND **GASKET AND SCREWS** STAINLESS-STEEL VERTICAL POLE MOUNT WHITE BRACKET CAT6 STANDARD RJ45 CONNECTORS 23AWG,50 MICRON GOLD PLATING **THICKNESS RJ45 CAT6 PROTECTIVE SLEEVES/BOOTS** 1SET 4K HDMI SPLITTER 2SETS 4K HDMI EXTENDER WITH CONTROLLER ELECTRICAL PVC PIPE (THICK WALL) ELECTRICAL PVC PIPE CONNECTOR/FITTINGS

12 units-4MP ColorVu Fixed Bullet Network Camera

Hikvision 4MP Colorvu technology provides 24/7 vivid colorful images with F1.0 advanced lenses and high performance sensors. F1.0 super-aperture collects more light to produce brighter images. Advanced sensor technology can vastly improve the utilization of available light. High quality imaging with 4MP resolution, 24/7 colorful imaging. Support Human and Vehicle Detection. Water and Dust resistant (IP67). Clear imaging even with strong back lighting due to 120 dB WDR Efficient H.256+ compression technology Support on-board storage up to 256GB (SD card slot) (optional). Built-in microphone for real-time audio security (optional)

10 units- 2MP-4MP Colorvu Fixed Turret
Network Camera
High quality imaging with 2MP resolution
Efficient H.256+ compression technology Clear
imaging against strong back light due to 120 dB
WDR technology
Focusing on human and vehicle classification
based on deep learning
Built-in microphone for real-time audio
security(-U)
24/7 colorful imaging
Water and dust resistant (IP67)

1 unit - 4-inch 2MP 25x Powered by DarkFighter IR Network Speed Dome Accurate human and vechile target classification and alarm based on deep learning algorithm Support face capture. Up to 5 faces captured at the same time 1/2.8" Progressive Scan CMOS Up to 1920 x 1080@30fps resolution

NAME OF ESTABLISHMENT

ALEJANDRO R. OMILA JR. Friday, July 25, 2025

^{**} All signatures of this document are system generated. ***
 ** The original of this document is in digital format. ***

Province of Davao del Norte

BIDS AND AWARDS COMMITTEE

Government Center, Mankilam, Tagum City

REQUEST FOR QUOTATION

[Shopping B (Regular Purchase)]

Control No.:



PR Number

Quotation No.: C20253384

2025074468 R0

Old RFQ No.: **B20253383** Date: Jul 25, 2025

Page: Page 4 of 7

Min. illumination: Color: 0.005Lux @ (F1.6, AGC ON),

B/W: 0.001Lux @ (F1.6, AGC ON),0 Lux with IR 25x optical zoom, 16x digital zoom WDR,

HLC,BLC, 3D DNR, Defog,

1 unit - 32-ch 1.5U K Series AcuSense 4k NVR Up to 32-ch IP camera inputs H.265+/H65/H.264 video formats Up to 2-ch@ 12 MP or 3-ch@ 8 MP or 6-ch@ 4 MP or 12-ch@ 1080p decoding capacity Up to 256 Mbps incoming bandwidth Adopt Hik-vision Acusense technology to minimize manual effort and security costs

1 unit - 16 Port Gigabit Smart POE Switch 16 x gigabit PoE RJ45 ports, 1 x gigabit RJ45 port, 1 x gigabit fiber optical port Total PoE power budget 130 W Unified cloud management for security systems Network topology at your fingertips Remote troubleshooting Visualized topology management Up to 300 m long-range PoE transmission 6 kV surge protection

3 units - 8 Port Gigabit Unmanaged POE Switch 8 x Gigabit PoE ports, 1 x Gigabit RJ45 port, 1 x Gigabit SFP Fiber Optical IEEE 802.3at/af standard IEEE 802.3, IEEE 802.3u, IEEE 802.3x, IEEE 802.3abm and IEEE 802.3z standard 6 KV surge protection for PoE ports PoE power management Gigabit Network access Wire-speed forwarding and non-blocking design Store-and-forward switching Solid high-strength metal shell Reliable fan-free design

2 units - 8TB HARDISK Seagate Skyhawk 8TB Surveillance Hard Drive -SATA 6Gb/s 256MB Cache 3.5-Inch Internal Drive Custom-built for surveillance applications with ImagePerfect firmware for crisp, clear, 24x7 video workloads Maximum 180TB/year workload rating-3x the workload rating of desktop drives for reliable performance in write-intensive surveillance systems Rotational vibration (RV) sensors help maintain performace on RAID and multi-drive systems (4TB or higher) Up to 10TB of capacity to store up to 10,000 hours of HD video.

High reliability with 550TB/yr workload rate

NAME OF ESTABLISHMENT

ALEJANDRO R. OMILA JR. Friday, July 25, 2025

^{**} All signatures of this document are system generated. *** The original of this document is in digital format.

Province of Davao del Norte

BIDS AND AWARDS COMMITTEE

Government Center, Mankilam, Tagum City

REQUEST FOR QUOTATION

[Shopping B (Regular Purchase)]

Control No.:



PR Number

Quotation No.: C20253384

2025074468

Old RFQ No.: **B20253383**

R0

Date: Jul 25, 2025

Page: Page 5 of 7

3 units - 32" TV MONITOR

4 units - UPS 1000VA 230V WITH AVR

1 unit - 12U DATA CABINET

ROUGHING-INS & CONSUMABLES

MATERIALS

FIBER OPTIC CABLES & ACCESSORIES

CAT6 CABLE 305M/BOX - INDOOR SUITABLE

IN LONG DISTANCE POWER OVER

INTERNET TRANSMISSION

ALUMINUM ALLOY JUNCTION WHITE BOX

IP67 WATER PROOF WITH RUBBER AND

GASKET AND SCREWS

STAINLESS-STEEL VERTICAL POLE MOUNT

WHITE BRACKET

CAT6 STANDARD RJ45 CONNECTORS

23AWG,50 MICRON GOLD PLATING

THICKNESS

RJ45 CAT6 PROTECTIVE SLEEVES/BOOTS

1SET 4K HDMI SPLITTER

2SETS 4K HDMI EXTENDER WITH

CONTROLLER

ELECTRICAL PVC PIPE (THICK WALL)

ELECTRICAL PVC PIPE

CONNECTOR/FITTINGS

IP-RATED OUTDOOR CCTV SQUARE BOX

(WHITE) WITH PVC CONNECTORS / FITTING,

REPLACEMENT FOR ELECTRICAL PVC

SQUARE BOXES.

GI METAL PIPE CLAMP WITH DOUBLE

SCREW

GI METAL PULL BOX

INDUSTRIAL/ HEAVY-DUTY

STAINLESS-STEEL HOSE CLAMP

CABLE DUCT TRAY

ELECTRICAL CIRCUIT BREAKER

FABRICATED/SPECIAL MOUNTING

BRACKETS

FASTENERS, FITTING AND FIXINGS

2SETS NEMA 3R ENCLOSURE BOX (1P65)

ELECTRICAL MATERIALS AND OTHER

HARDWARE ACCESSORIES

SCOPE OF WORK & TERMS OF

REFFERENCE:

SUPPLY, DELIVERY, INSTALLATION,

CONFIGURATION, COMMISSIONING, AND TESTING OF CLOSED-CIRCUIT TELEVISION

(CCTV SYSTEM)

UTP CABLE INSTALLATION, PULLING, AND

TERMINATION.

ALL CABLES MUST HAVE PROPER

LABELS/TAGGING.

IP CCTV CAMERA INSTALLATION,

CONFIGURATION, TERMINATION,

ORIENTATION, FOCUSING, ADJUSTMENT,

NAME OF ESTABLISHMENT

ALEJANDRO R. OMILA JR. Friday, July 25, 2025

^{**} All signatures of this document are system generated. *** The original of this document is in digital format.

Province of Davao del Norte

BIDS AND AWARDS COMMITTEE

Government Center, Mankilam, Tagum City



REQUEST FOR QUOTATION

[Shopping B (Regular Purchase)]

Control No. :



PR Number

Quotation No.: C20253384

2025074468

Old RFQ No.: **B20253383**

R0

Date: Jul 25, 2025

Rυ

Page: Page 6 of 7

AND COMMISSIONING AT PREDEFINED LOCATION.

INSTALLATION OF NETWORK VIDEO RECORDER, SWITCH, AND SERVER

CABINET.

ALL CABLE ATTACHED FROM THE NETWORK SWITCH TO THE CAMERA MUST

HAVE PROPER LABEL/TAGGING.
INSTALLATION OF ELECTRICAL
COMPONENTS, NETWORK CABLING
COMPONENTS, ROUGHING-INS, AND
CONSUMABLES MATERIALS.

INSTALLATION OF FABRICATED/SPECIAL MOUNTING BRACKETS FOR FIBER OPTIC

CABLE AND CCTV INSTALLATIONS.

End user training and orientation, mobilization

and transportation

NOTE: Coordinate and must follow CCTV

System Design and Layout Plan

Grand/Lot Total:

Green Procurement Terms and Conditions

COMPUTERS, MONITORS AND LAPTOP

- 1. The suppliers shall supply ICT equipment which fulfills at least ENERGY STAR 6.1 for computers and 7.1 for monitors criteria.
- 2. The supplier shall supply products with a visible On/Off switch.
- 3. In case of desktop computers: The supplier shall supply products which are designed so that the memory, hard disk and CD drive are readily accessible and can be changed easily for upgrade.
- 4. The supplier shall supply notebooks and desktop computers where the availability of replacement batteries and power supplies is guaranteed for at least 5 years after end of production.
- 5. The supplier shall supply the products in recyclable packages and shall provide a packaging take-back service.

Purchase of Security Surveillance and Detection Equipment for the use of PADO-PRC, Provincial Administrator's Office

APPROVED BUDGET FOR THE CONTRACT (ABC): <u>P500,000.00</u>
OPENING DATE AND TIME OF BIDDING: <u>July 31, 2025</u> 9:00 am

Place of Delivery : on site

Delivery Term: 45 Working Days

General Terms & Conditions :

- 1. Bidders shall provide correct and accurate information required in this form and shall quote for all the items, considering that this **procurement is for lot awarding**, **otherwise**, **the RQF will be rejected**.
- 2. Price quotation/s must be valid for a period of ninety (90) calendar days from the date of submission. In case the Provincial Government of Davao del Norte will officially notify that the items will be procured from the determined bidder, the stocks shall be readily available off-the-shelf.
- 3. Bidders shall specify/indicate the brand names in the RFQ and the country of origin.
- 4. Award of contract shall be made to the lowest quotation (for goods and infrastructure) or, the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
- 5. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- 6. The item/s shall be delivered according to the requirements specified in the Technical Specifications.
- 7. The Provincial Government of Davao del Norte shall have the right to inspect and/or to test the goods to confirm their conformity to the technical specifications.

NAME OF ESTABLISHMENT

ALEJANDRO R. OMILA JR. Friday, July 25, 2025

Province of Davao del Norte

BIDS AND AWARDS COMMITTEE

Government Center, Mankilam, Tagum City

REQUEST FOR QUOTATION

[Shopping B (Regular Purchase)]

Control No.:



PR Number

Quotation No.: C20253384

2025074468

Old RFQ No.: **B20253383**

R0

Date: Jul 25, 2025

Page: Page 7 of 7

8. In case two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, the Provincial Government of Davao del Norte shall adopt and employ "tosscoin" as the tie-breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.

- 9. Payment shall be made after delivery and upon the submission of the required supporting documents, i.e, order slip and/or billing statement, by the contractor
- 10. The following documentary requirements shall be submitted together with the Request for Quotation Form as requisite for award:

 - a. For Shopping:1.) Mayor's/Business Permit
 - 2.) PhilGEPS Registration Number

VERY TRULY YOURS,

BAC CHAIRPERSON

I hereby certify and affirm to the foregoing quotation, terms and conditions:

NAME OF ESTABLISHMENT		
ADDRESS		SIGNATURE OVER PRINTED NAME
Please check V.A.T. whether VAT or Non VAT Non - V.A.T.	PhilGEPS Registration No.:	DESIGNATION
Non-VAT Non - V.A.1.	L	CONTACT NUMBER
		EMAIL ADDRESS